

Enhance Your Productivity and Software Quality with Techniques from Silicon Valley

Benjamin S. Skrainka
The Harris School of Public Policy
University of Chicago

skrainka@uchicago.edu

July 17, 2012

The Big Picture

Whether you like it or not you are a software engineer:

- ▶ Much wisdom we can learn from Silicon Valley
- ▶ Much technology we can exploit
- ▶ About increasing your productivity
- ▶ About reproducible results (scientific method, getting sued)

⇒ much of the cost of software is maintenance!

Good Code

Good code is:

- ▶ Easy to maintain
- ▶ Easy to extend
- ▶ Easy to understand ... even after a six month break!
- ▶ Straight-forward and direct ... no side-effects or surprises!
- ▶ Reads like English (or some other human language)

When you feel 'friction' something is wrong...

Some Questions

Before writing a line of code, ask yourself:

- ▶ What will this code be used for?
- ▶ How often will it be used?
- ▶ How might it evolve? How can I isolate myself from possible changes, such as using a different solver?
- ▶ What part of this code is generic and what part problem-specific? i.e.,
 - ▶ What can I reuse?
 - ▶ What should I abstract into a library?

Roadmap

Tactical Programming

Designing Better Software

Debugging and Optimization

Software Development Tools

Goals of Tactical Programming

Tactics – aka *programming style* – are about structuring your code so that:

- ▶ Easier to read
 - ▶ Easier to detect bugs
 - ▶ Easier to understand
 - ▶ Easier to extend
 - ▶ i.e., to minimize the costs of working with your code
 - ▶ In short, you want to minimize (or eliminate) complexity
- ⇒ increased productivity for free!!!

Use A Coding Convention

A good coding convention makes your code read like a good story and makes your intent clear:

- ▶ Naming of functions, variables, and filenames
- ▶ Grouping and layout of code such as braces
- ▶ Modification history
- ▶ Comments
- ▶ Respect the local coding convention when working on code

Choose a convention and stick to it!

Structure Your Code

Group logical chunks of code together:

- ▶ Separate larger blocks with comments
 - ▶ Create horizontal lines of '-', '=', etc. to indicate higher-level groupings
 - ▶ Just like books are organized into chapters, sections, subsections, etc.
 - ▶ Use vertical space (blank lines) to set off lower-level chunks of code
- ▶ Use white space:
 - ▶ Put space around operators =, +, -, *, / and inside of {}, (), and []
 - ▶ Choose a sensible indentation scheme, such as two spaces
 - ▶ Beware of tabs ...
- ▶ Anything longer than 1-2 screenfuls of code should be a separate function

Choose Good Names

Choose names which describe the role of a function or variable:

- ▶ Separate multiple words with CamelCase or ‘_’
- ▶ Function names should start or end with a verb:
`CalcMarketShares()`
- ▶ Encode type information into variable names: float, int, matrix, vector, etc.
- ▶ One variable definition per line + a comment
- ▶ Start indexes with ix: `ixStart`, `ixStop`
- ▶ One ‘p’ for each level of pointer indirection

Bad Names: `p`, `x`, `y`, `n`, `i`, `j`, `k`, `l`, `jfunc1`

Good Names: `dwPriceFood`, `dwExcessDemand`, `dwIncome`,
`nGoods`, `vProb`, `IntegrateMarketShares()`,
`IsValid()`, `ix`, `jx`, `kx`, `pHHDData`

Braces

There are two main styles for braces:

1TBS/K+R/etc.

```
if( IsBadState() ) {  
    fixProblem() ;  
}
```

Allman/GNU/etc.

```
if( IsBadState() )  
{  
    fixProblem() ;  
}
```

Write Comments

Comments are important:

- ▶ History of changes
- ▶ Why you did something, not what you did
- ▶ Explain anything tricky – you won't remember why you did something next month...
- ▶ Use comments and white space to convey logical structure of code on small, medium, and large scales
- ▶ Start any file with a short one line comment explaining purpose of module
- ▶ Document function interfaces and any quirks

One Place Only

Strive to minimize duplication:

- ▶ Are you writing code with cut and paste? \Rightarrow abstract it into a function ...
- ▶ Use constants whenever possible:
 - ▶ Define all numbers and constants in one place only
 - ▶ Define indexes (with good names) for different columns or rows in a matrix, especially for MATLAB
 - ▶ Make arguments `const` when only used for input
 - ▶ No hard-coded numbers!!!
- ▶ Automate what you can:
 - ▶ macros
 - ▶ templates
- ▶ When you have to make changes, it is easier if you only have to modify it in one place!

Order of Operations

Don't abuse order of operations:

- ▶ Only use order of operations for $+$, $-$, $/$, $*$
- ▶ For everything else, use parentheses!
- ▶ Avoid clever tricks and side-effects . . . unless necessary for performance in which case you need to document how the trick works

MATLAB Tricks

Here are a couple tricks to improve your MATLAB code:

- ▶ Use cells by commenting the start of a section with `%:`
 - ▶ Group a logically-related block of code
 - ▶ Rerun the cell with CTRL + RETURN
- ▶ Handle errors with keyboard
- ▶ Store column indexes in a structure: `Index.Price`, `Index.Income`, ...
- ▶ Wrap related variables into a structure:

```
ChoiceData.X      = mCovariates ;  
ChoiceData.Y      = vChoices   ;  
ChoiceData.nObs   = length( vChoices ) ;
```

How to Design Software

Much of good software design is based on:

- ▶ Planning ahead for maintenance (one of the biggest costs of most projects) and future extensions
- ▶ Writing testable code
- ▶ Choosing good abstractions
 - ▶ The right data structures
 - ▶ The right algorithms
- ▶ Designing good interfaces

The goal is to minimize (hide) complexity, reduce friction, and avoid duplicating code

What to Worry About

Questions to ponder:

- ▶ Where will my code run?
- ▶ What technologies does it depend on?
- ▶ How is it likely to change?
- ▶ How will it be used?
- ▶ How often will it be used?
- ▶ How can I test it?

⇒ Write a design document!!! You don't have time not to plan...

Trade-offs

You need to evaluate many trade-offs:

- ▶ Speed vs. robustness
- ▶ Speed vs. memory usage
- ▶ Speed vs. maintainability (e.g. fast code may require unreadable optimizations)
- ▶ Development time vs. code quality (performance, maintainability, reusability)
- ▶ Quality vs. frequency of use

Interfaces

An interface is a contract:

- ▶ Clear and easy to remember
- ▶ Use the same interface for similar objects/operations
- ▶ Promotes loose coupling and reuse
- ▶ Minimizes maintenance headaches by isolating implementation from interface
- ▶ Publish the interface in a header file:
 - ▶ Separate from the implementation file
 - ▶ Protect with include guards if using C preprocessor
 - ▶ May need second header file for private information
- ▶ Only a few arguments – put any more in a struct

Functions

Functions are a key technique to eliminate complexity:

- ▶ A function should do one thing and do it well
 - ▶ Facilitates composition to solve more complex problems
 - ▶ Facilitates reuse, debugging, maintenance, and extension
 - ▶ Facilitates understanding
- ▶ Follow the Unix model:
 - ▶ Write simple commands and functions
 - ▶ Easy to test
 - ▶ Easy to combine
- ▶ Use to express interfaces
- ▶ Use to break up any code which exceeds a couple screenfuls

Practice Information Hiding

Hiding information and implementation make your code more robust:

- ▶ Put only the minimum amount of information in the public name space
- ▶ Make everything else `private` or `static`
- ▶ Prevent unintentional access
- ▶ Now changing implementation details won't break other code
- ▶ Encapsulate state information in a `struct`, not a global if possible
- ▶ Avoid global variables!!! They often lead to race conditions...

Reusable Code

Write reusable code:

- ▶ Collect general tools and components into a common library
- ▶ Reuse for faster development of other projects
- ▶ Decrease bugs through use of production code

Corollary: reuse (high quality) existing software libraries and components:

- ▶ Don't reinvent the wheel
- ▶ Benefit from code which has already been debugged

Defensive Programming I

Write code to facilitate debugging:

- ▶ Modularize functionality
- ▶ E.g., access shared resources or special facilities only through one library: `splineLib`, `splineCreate`, `splineEval`, `splineDelete`, ...
- ▶ If a bug occurs then it is:
 1. In the library
 2. Use of the library

Defensive Programming II

Isolate your code from things which might change:

- ▶ Third party software: MPI, solvers, libraries
- ▶ Platform-specific technologies: OS-specific APIs
- ▶ Buggy code by co-workers ('software condom')

I.e., write a thin layer between your code and volatile resources

Defensive Programming III

Trust but verify:

- ▶ Verify that input is sane:
 - ▶ When reading in configuration information and data at start of program
 - ▶ Inside functions:
 - ▶ Are the arguments correct?
 - ▶ Did the computation produce a feasible value? E.g., is consumption non-negative?
- ▶ Tools:
 - ▶ keyboard in MATLAB
 - ▶ `#include <cassert>` in C++
- ▶ Automate everything you can:
 - ▶ Multiple steps and copying data lead to avoidable errors
 - ▶ One to hit one button to produce your paper!

Test Driven Development

TDD uses unit tests and a tight *write-test-debug* cycle to catch bugs early:

- ▶ Unit tests are short pieces of code which exercise all (or the key) paths through a function
 - ▶ The sooner you find a bug, the cheaper/easier it is to fix
 - ▶ Immediately program to an interface to verify design decisions
 - ▶ Catch bugs caused by other changes to system
- ▶ Many popular unit test frame works are available: `junit`, `cunit`, `boost::test`, etc.
- ▶ Interpreted languages provide a similar productivity boost by letting you test code interactively as you develop it.
- ▶ TDD is a philosophy for software development
- ▶ Refactor code which is unwieldy

Refactoring

Refactor when necessary:

- ▶ Refactoring means redesigning and/or rewriting code when it becomes brittle, unwieldy, or starts to rot
- ▶ Do in presence of unit tests to ensure that you reimplement code correctly
- ▶ Brooks (1995): 'Plan to throw one away.'
- ▶ It is time to refactor when you feel friction and frustration when working on code.
- ▶ See Fowler et al (1999) 'Refactoring'.

Debugging

Unfortunately, you will make mistakes:

- ▶ Learn to use the debugger
- ▶ Don't sprinkle your code with `printf`, `WRITE`, etc.:
 - ▶ Obscures code readability
 - ▶ I/O slows code considerably
- ▶ Add diagnostic logging to large applications
 - ▶ Message logging to files
 - ▶ Print messages to screen in debug version only
- ▶ Step through your code in the debugger: you might be surprised by how it actually executes. . .
- ▶ Will boost productivity considerably!

Debugging

Use the C preprocessor to facilitate debugging (even in FORTRAN):

```
#ifdef USE_DIAG
#define DIAG_PRINT      PRINT *,
#else
#define DIAG_PRINT      !
#endif
```

Must use correct compiler flags: `-fpp -allow no_fppcomments`

Optimization

Your intuition about what needs optimization is often wrong:

- ▶ First, get your code to work correctly
- ▶ Then optimize:
 - ▶ Measure code with a profiler
 - ▶ Optimize what needs optimizing
- ▶ MATLAB has a built-in optimizer
- ▶ For C, C++, FORTRAN, etc., use: gprof, Google's gperftools, etc.

Vectorization

Write loops which support vectorization (unrolling):

- ▶ Use:
 - ▶ Straight-line code
 - ▶ Vector (array) data only
 - ▶ Local variables
 - ▶ Assignment statements only
 - ▶ Pre-defined (constant) exit condition
- ▶ Avoid:
 - ▶ Function calls
 - ▶ Non-mathematical operations (which are difficult to vectorize)
 - ▶ Mixing vectorizable types
 - ▶ Memory access patterns which prevent vectorization – i.e. where one statement access future and/or previous array elements

Version Control

Manage all of your code (and \LaTeX) with version control:

- ▶ Provides a safety net when programming
- ▶ Stores code in a repository which tracks changes anyone makes to code
- ▶ Synchronize changes across computers
- ▶ (Automatically) merge your changes with your co-authors' changes
- ▶ Revert to earlier versions
- ▶ Manage different branches of code
- ▶ Tag key milestones

Popular flavors: Subversion (svn), CVS, git, and hg

Make

Make manages building software:

- ▶ Checks dependencies
- ▶ Builds only what is necessary
- ▶ Allows abstraction of build process:
 - ▶ Tools
 - ▶ Options
 - ▶ Platform specific details
- ▶ Promotes portability

Editor and OS

Invest in your tools:

- ▶ 'Choose your editor with more care than you would your spouse because you will spend more time with your editor, even after the spouse is gone.' – Harry J. Paarsch
 - ▶ Learn to use a good programming editor: Vi, Emacs, jEdit, Notepad++, Eclipse, etc.
 - ▶ Will increase your productivity
- ▶ Same applies to your OS – get some Unix in your life!
- ▶ etags, cscope, ctree, etc. make it easy to explore code
- ▶ Eclipse, MS Visual Studio have powerful tools as well